




INTERNATIONAL JOURNAL OF
ENGINEERING

INTERNATIONAL JOURNAL
OF ENGINEERING

www.ijeae.in/





Ph.D

Principal,
Joginapally B. R. Engineering College,
Yenkapally, Moinabad Mandal,
Hyderabad - 500 075
Telangana State

Ph.D

Professor & Head
Department of CSE
GMIT, D5v(b)-0(a)n(b)-7(g)10(e)4ine

Professor & Head





M.S, PGDIA,
Chief Electrical Engineer,
Schlumberger-Saxon Middle East Limited,



Padur - Chennai



MTech



Dileep Reddy Bolla et al.

IEA (E International) Journal of Engineering, Volume 1, Issue 1,

Dileep Reddy Bolla et al.

IEAE International Journal of Engineering, Volume 1, Issue 1, July 2016



Algorithm steps involved are as follows:97.79 2.4 Tm[()] TJ34.53 746.02 Tm[()] TJETBT1 0 0 1 72.024 734.62 Tm[()] TJET EM

Dileep Reddy Bolla et al.

IEAE International Journal of Engineering, Volume 1, Issue 1, E262y JIEBT 0 0 1 0.626



Dileep Reddy Bolla et al.
IEAE International Journal of Engineering, Volume 1, Issue 1, July 2016

[8]



Pramod H.B et al.
IEAE International Journal of Engineering, Volume 1, Issue 1, July 2016

An Effective Algorithmic For Integrity and



8. Then, the most near value to the threshold shall be considered as Cluster Head.
- 9.

Chethana et al.

IEAE International Journal of Engineering, Volume 1, Issue 1, July 2016

Chethana et al.

IEAE International Journal of Engineering, Volume 1, Issue 1, January 2016

Chethana et al.

IEAE International Journal of Engineering, Volume 1, Issue 1, January 2016



for the detection of objects an

Linganagouda R et al.

IEAE International Journal of Engineering, Volume 1, Issue 1, July 2016



b Based Spatial Support System for Solid Waste Management in Hassan City,



Figure 8:Proposed Dustbins With 200m Buffer



IV. CONCLUSIONS

- ◁ The complete information of each ward is generated and displayed using Arc GIS like quantity of waste generation in each ward, nos of containers in each ward, population, hosusehosld, capacity of containers etc this acts as a pport ()-ystem to take p a11B-208(g)6(tifact AttacheB62 TmG[(co)- Tf10(tak)5(e)-ta



Optimized Reversible Watermarking Approach Based on Local Prediction for Difference



Shaik Mohammad Arief et al.
IEAE International Journal of Engineering, Volume 1, Issue 1, July 2016



Figure 6

R

Ramesh[h]IEBT# Sh[h]IEBT 0 0 1 1802 ShBT 0 JEBT 0 0 1 8062 ShBT 0 JEBT 0 0 201.062 Sh

Ramesh B.

Anannya Guha



ISOLATOR

In electrical engineering, disconnect sente-110(s)-5(n)-3(i)-110(s)cnni snn4

Fig 16 Subparts of Matlab

B. CIGRE Modelling of the HVDC transmission system

